



**FOCUR SA PRODUCT ASSORTMENT
FOR GREY AND SPHERIODAL CAST IRON**

A Company of the SWAROVSKI Group
www.tyrolit.com



PREMIUM★★★ FOCUR SA

DIAMOND ROUGH GRINDING WHEEL FOR GREY AND SPHEROIDAL CAST IRON

+ Enhanced safety

The use of a steel core minimises the potential risk of wheel breakage.

+ Long tool lifetimes

The reduced number of wheel changes makes this tool the more economical option.



+ Low risk to health

Less dust generation when using this diamond rough grinding wheel lowers the health risk to the user.

FOCUR SA rough grinding wheels from TYROLIT are the optimum tool for machining grey and spheroidal cast iron components. This product

combines a long tool life with maximum economic efficiency. A low level of dust formation significantly increases user comfort

compared to conventional rough grinding wheels.

PREMIUM★★★ FOCUR SA

Diamond rough grinding wheel for grey and spheroidal cast iron



	Shape	Type no.	Dimension	Specification	PU	
		4S2	34213572	115x2x22.23	DCCI	1
			34200772	125x2x22.23	DCCI	1
			34200773	180x2x22.23	DCCI	1
			34200775	230x2.5x22.23	DCCI	1

PREMIUM★★★ FOCUR SA

DIAMOND CUT-OFF WHEEL FOR GREY AND SPHEROIDAL CAST IRON

+ Lifetime

FOCUR SA cut-off wheels have a lifetime up to 25 times longer than that of resin-bonded tools.

+ Economic efficiency

The increased lifetime of the FOCUR SA keeps tool changes to a minimum and therefore improves machine utilisation.



+ Working convenience

Constant external diameters enable full utilisation of the depth of cut right up to the end of the wheel's life as well as reduced dust.

+ Quality

All the products from the FOCUR SA line conform to the DIN 13236 safety standard for grinding tools.

FOCUR SA diamond cut-off wheels from TYROLIT are the optimum tool for machining grey and spheroidal

cast iron. These products combine a long lifetime with maximum economic efficiency. FOCUR SA cut-off wheels

are available in diameters from 115 to 600 mm.

FOCUR SA

Diamond cut-off wheel for grey and spheroidal cast iron



	Shape	Type no.	Dimension	Specification	PU	
		UC3	34213575	115x2,8x22,23	DC CI	1
			34192268	125x3,0x22,23	DC CI	1
			102811	180x3,0x22,23	DC CI	1
			102813	230x3,0x22,23	DC CI	1
		12LL1	34076219	230x3,4x22,23	DC CI	1
		UC3	102814	300x3,0x40	DC CI	1
			102831	350x3,5x40	DC CI	1
			102850	400x4,0x60	DC CI	1
			102855	450x4,0x60	DC CI	1
			102856	500x5,0x60	DC CI	1
			102859	600x5,0x60	DC CI	1



TYROLIT SCHLEIFMITTELWERKE SWAROVSKI K.G.

Swarovskistrasse 33 | 6130 Schwaz | Austria

Tel +43 5242 606-0 | Fax +43 5242 63398

Our **worldwide subsidiary companies** can be found
on our website at www.tyrolit.com



Like us on Facebook
[facebook.com/TYROLIT](https://www.facebook.com/TYROLIT)